

according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trade name	PrintaFix Spray
	Registration number (REACH)	not relevant (mixture)
	Unique formula identifier (UFI)	S3DS-31H1-G00G-MTH4
1.2	Relevant identified uses of the substance or mixture and use	es advised against
	Relevant identified uses.	Buildplate Adhesive
1.3	Details of the supplier of the safety data sheet	
	AprintaPro GmbH Gutheil Schoder Gasse 17 1230 Wien Austria	
	Telephone: +43 1 997809410 e-mail: office@aprintapro.com Website: https://www.aprintapro.com	
	e-mail (competent person)	office@aprintapro.com

1.4 **Emergency telephone number Emergency information service**

+43 1 997809410 This number is only available during the following office hours: Mon-Fri 08:00 AM - 04:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Sect	tion	Hazard class	Category	Hazard class and category	Hazard state- ment
2.5	.3	aerosols	1	Aerosol 1	H222,H229
3.3	.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger
- Pictograms

H222

H229

H319

GHS02, GHS07



- Hazard statements

Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

- Precautionary staten	nents
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to hazardous or special waste collection point.

Additional labelling according to Directive 75/324/EEC relating to aerosol dispensers

Extremely flammable. Keep out of reach of children. Pressurized container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\ge 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Iden	tifier	Wt%	Classification acc. to GHS
Ethanol 99,9%	CAS No	64-17-5	50 - < 75	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319
dimethyl ether	CAS No	115-10-6	25 - < 50	Flam. Gas 1A / H220 Press. Gas C / H280

Na	me of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
	Ethanol 99,9%	Eye Irrit. 2; H319: C ≥ 50 %	-	-	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

- 4.2 Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.
- 4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

- Packaging compatibilities Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceiling- C [ppm]	Ceiling- C [mg/ m³]	Nota- tion	Source
EU	dimethyl ether	115-10-6	IOELV	1,000	1,920						2000/39/ EC
IE	dimethyl ether	115-10-6	OELV	1,000	1,920						S.I. No. 619 of 2001
IE	ethanol	64-17-5	OELV			1,000					S.I. No. 619 of 2001

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur STEL short-term exposure limit: a limit value above which exposure should

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection
- Wear protective gloves.
- Type of material
 - Nitrile
- Material thickness

≥0,35mm

- Breakthrough times of the glove material
 - >120 minutes (permeation: level 4)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Date of compilation: 2023-06-25

Version number: SDS 1.0

Respiratory protection

During spraying wear suitable respiratory equipment. In case of inadequate ventilation wear respiratory protection. Filtering half mask (EN 149). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid, gaseous (spray aerosol)
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	64.7 °C at 1,013 hPa
Flammability	flammable aerosol in accordance with GHS criteria
Lower and upper explosion limit	2.5 vol% - 26.2 vol%
Flash point	9.7 °C at 1,013 hPa
Auto-ignition temperature	226 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
PH (value)	not determined
Kinematic viscosity	not relevant
Solubility(ies)	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	3,850 mmHg at 25 °C
Density and/or relative density	
Density	not determined
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (aerosol)
Other information	
Information with regard to physical hazard classes	
Aerosols	
- Components (flammable)	100 %
Other safety characteristics	
Propellant content	35 %
Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equipment: 200°C)

9.2



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity Shall not be classified as hazardous to the aquatic environment.

- 12.2 Persistence and degradability Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\ge 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN UN 1950 IMDG-Code UN 1950 ICAO-TI UN 1950 14.2 UN proper shipping name ADR/RID/ADN AEROSOLS IMDG-Code AEROSOLS ICAO-TI Aerosols, flammable

14.3 Transport hazard class(es) ADR/RID/ADN IMDG-Code

2 (2.1)

2.1



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Versio	n number: SDS 1.0	Date of compilation: 2023-06-25				
	ICAO-TI	2.1				
14.4	Packing group	not assigned				
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods reg- ulations				
14.6	Special precautions for user					
	Provisions for dangerous goods (ADR) should be complied with	hin the premises.				
14.7	Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.					
14.8	Information for each of the UN Model Regulations					
	Agreement concerning the International Carriage of Dang	gerous Goods by Road (ADR) - Additional information				
	Classification code	5F				
	Danger label(s)	2.1				
	Special provisions (SP)	190, 327, 344, 625				
	Excepted quantities (EQ)	E0				
	Limited quantities (LQ)	1L				
	Transport category (TC)	2				
	Tunnel restriction code (TRC)	D				
	Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information					
	Classification code	5F				
	Danger label(s)	2.1				
	Special provisions (SP)	190, 327, 344, 625				
	Excepted quantities (EQ)	EO				
	Limited quantities (LQ)	1L				
	Transport category (TC)	2				
	Hazard identification No	23				
	International Maritime Dangerous Goods Code (IMDG) - A	Additional information				
	Marine pollutant	-				
	Danger label(s)	2.1				
	(
	Special provisions (SP)	63, 190, 277, 327, 344, 381, 959				
	Excepted quantities (EQ)	E0				
	Limited quantities (LQ)	1L				
	EmS	F-D, S-U				
	Stowage category	-				
	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information					
	Danger label(s)	2.1				
	*					
	Special provisions (SP)	A145, A167				
	Excepted quantities (EQ)	EO				
	Limited quantities (LQ)	30 kg				



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	No		
Ethanol 99,9%	this product meets the criteria for classification in accord- ance with Regulation No 1272/2008/EC		3		
Ethanol 99,9%	flammable / pyrophoric		40		
Ethanol 99,9%	substances in tattoo inks and permanent make-up		75		
dimethyl ether	flammable / pyrophoric		40		

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonne lower and upper-ti		Notes	
P3a	3a flammable aerosols (containing Flam. Gas or Flam. Liq., cat. 1) 150 500		46)		

Notation

46) 'flammable' aerosols category 1 or 2, containing flammable gases category 1 or 2 or flammable liquids category 1 Note: qualifying quantity = net

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR) none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	CAS No	Listed in	Remarks	
Ethanol 99,9%		a)		

Legend A)

Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Version number: SDS 1.0

Date of compilation: 2023-06-25

Country	Inventory	Status
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

Legenu	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Dir- ective 98/24/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Car- riage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations



according to Regulation (EC) No. 1907/2006 (REACH)

PrintaFix Spray

Date of compilation: 2023-06-25

Version number: SDS 1.0

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the Inter- national carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.